DocuSign Envelope ID: 6738719A-58B8-43AE-A35B-61E5211FE93C

TILRAY	CERTIFICATE OF ANALYSIS	
Quality Standard Number: QS-210, R7	**Packaging Date: 05APR24** **DOM: 03APR24**	**Page 1 of 4**
Product Name: **Tilray Cannabisextrakt THC5:CBD20**	**Batch Size: 205 Units of 25 mL**	**Revision: 1**
Lot: 24002302	☒ **Expiry Date: 02/2025** ☐ **Retest Date:**	
CoA Number: 0424-057		

APPROVALS

Prepared by: Daniel Tavares
Quality Control Chemist Associate

DocuSigned by:
Daniel Tavares
Signer Name: Daniel Tavares
Signing Reason: I am the author of this document
Signing Time: 2024/05/27 | 15:58 BST
73F4B38D267E4454A05B05EE0E018BB8

Date: 2024/05/27 | 15:59 BST

Reviewed by: Rita Andrade
Quality Control Supervisor

DocuSigned by:
Rita Andrade
Nome do signatário: Rita Andrade
Motivo da assinatura: Revi este documento
Hora de assinatura: 2024/05/27 | 16:08 BST
D797C078FFDC46668B3384C37ADDD94C

Date: 2024/05/27 | 16:09 BST

Approved by: Sandra Vieira
Qualified Person

DocuSigned by:
Sandra Vieira
Nome do signatário: Sandra Vieira
Motivo da assinatura: Aprovo este documento
Hora de assinatura: 2024/05/27 | 16:20 BST
140965A075F74EF98AC58E25D88ED7A7

Date: 2024/05/27 | 16:20 BST

DocuSign Envelope ID: 6738719A-58B8-43AE-A35B-61E5211FE93C

TILRAY	CERTIFICATE OF ANALYSIS	
Quality Standard Number: QS-210, R7	**Packaging Date: 05APR24** **DOM: 03APR24**	**Page 2 of 4**
Product Name: **Tilray Cannabisextrakt THC5:CBD20**	**Batch Size: 205 Units of 25 mL**	**Revision: 1**
Lot: 24002302	**☒ Expiry Date: 02/2025** **☐ Retest Date:**	
CoA Number: 0424-057		

Certificate of Analysis

Test		Acceptance Criteria	Procedure	Result
Physical Properties:				
Appearance		Free of particles /homogeneous /transparent greenish or yellow to brown solution.	TM-012 Ph.Eur.2.8.2	Complies
Fill Volume		25.0 mL/bottle + 2% (25.0 – 25.5 mL)	Gravimetric	Complies 25.3mL(25.2–25.4mL)
Chemistry:				
Identification – THC, THCA, CBD and CBDA		Retention times correspond to that in a standard chromatogram. Positively identified.	TM-014 Ph.Eur.2.2.46	Complies
Assay (Relative to weight of product)	THC	Total THC – (THC+(THCA*0.877)) -(mg/mL) 90 – 110% of label claim in mg/mL (4.5 mg/mL – 5.5 mg/mL) Report THCA: mg/mL (w/v) Report Total THC% (w/w) (Calculated as per measured density)	TM-014 Ph.Eur.2.2.46	96% (4.8 mg/mL) Not detected (<0.0013 mg/mL(LoD)) 0.5% (w/w)
	CBD	Total CBD – (CBD+(CBDA*0.877)) -(mg/mL) 90 – 110% of label claim in mg/mL (18.0 mg/mL – 22.0 mg/mL) Report CBDA: mg/mL (w/v) Report Total CBD% (w/w) (Calculated as per measured density)	TM-014 Ph.Eur.2.2.46	101% (20.1 mg/mL) 0.1 mg/mL 2.1% (w/w)
Related Substances (Relative to combined weight of active ingredients)		CBN ≤ 2.5% (w/w) Total related substances – Report only	TM-014 Ph.Eur.2.2.46	0.3% (w/w) 0.3% (w/w)
Water Content		≤ 0.5% (w/w)	TM-013 Ph.Eur.2.5.12	0.04% (w/w)
Elemental Impurities		Arsenic ≤ 1.5 ppm Cadmium ≤ 0.5 ppm Lead ≤ 0.5 ppm Mercury ≤ 0.1 ppm	TM-009 Ph.Eur.2.4.27	< 0.2186 ppm (LoQ) < 0.2249 ppm (LoQ) < 0.0752 ppm (LoQ) < 0.0157 ppm (LoQ)

DocuSign Envelope ID: 6738719A-58B8-43AE-A35B-61E5211FE93C

TILRAY	CERTIFICATE OF ANALYSIS	
Quality Standard Number: QS-210, R7	**Packaging Date: 05APR24** **DOM: 03APR24**	**Page 3 of 4**
Product Name: **Tilray Cannabisextrakt THC5:CBD20**	**Batch Size: 205 Units of 25 mL**	**Revision: 1**
Lot: 24002302	☒ **Expiry Date: 02/2025** ☐ **Retest Date:**	
CoA Number: 0424-057		

Test	Acceptance Criteria	Procedure	Result
Residual Solvents	≤ 0.5% (w/w)	Third Party Ph.Eur.2.4.24	Ethanol: <0.04% (LoQ) n-Hexane: <0.0023%(LoQ)
Pesticide Residues	Complies	Third Party Ph.Eur.2.8.13	Complies
Mycotoxins:			
Aflatoxins	B1 ≤ 2 µg/Kg B1 + B2 + G1 + G2 ≤ 4 µg/Kg	TM-004 Ph.Eur.2.8.18	Not Detected (<0.28 µg/Kg (LoD) Not Applicable
Microbiology:			
TAMC	≤1x10^3 CFU/g or mL Maximum Acceptable Count = 2000	Third Party Ph. Eur. 2.6.12	<10 CFU/g
TYMC	≤1x10^2 CFU/g or mL Maximum Acceptable Count = 200	Third Party Ph. Eur. 2.6.12	<10 CFU/g
Bile-tolerant gram-negative bacteria	≤1x10^2 CFU/g or mL Maximum Acceptable Count = 200	Third Party Ph. Eur. 2.6.31	<10 CFU/g
Salmonella	Absence (25 g or 25 mL)	Third Party Ph. Eur. 2.6.31	Absent/25g
Escherichia coli	Absence (1 g or 1 mL)	Third Party Ph. Eur. 2.6.31	Absent/g
Staphylococcus aureus	Absence (1 g or 1 mL)	Third Party Ph. Eur. 2.6.13	Absent/g
Pseudomonas aeruginosa	Absence (1 g or 1 mL)	Third Party Ph. Eur. 2.6.13	Absent/g

☒ **Physical and chemical properties** – (Internal) Performed under manufacturing license in premises located at *Parque Tecnológico de Cantanhede, PME Building, Núcleo 4 – Lote 4A, Laboratórios L01, 3060-197 Cantanhede*.

☐ **Identification DAB Monograph Cannabis flos - Test B:** LEF (3rd Party laboratory) - *Infosaúde – Instituto de Formação e Inovação em Saúde, Unipessoal, Lda*

☒ **Microbiology testing:** LEF (3rd Party laboratory) - *Infosaúde – Instituto de Formação e Inovação em Saúde, Unipessoal, Lda*

☒ **Pesticides**: SGS Portugal (3rd Party laboratory) - *SGS Portugal - Sociedade Geral de Superintendência S.A.*

☐ **Pesticides**: QSI (3rd Party laboratory) - Quality Services International GmbH. Germany

☒ **Residual Solvents:** LEF (3rd Party laboratory) - *Infosaúde – Instituto de Formação e Inovação em Saúde, Unipessoal, Lda.*

☐ **Ochratoxin:** LEF (3rd Party laboratory) - *Infosaúde – Instituto de Formação e Inovação em Saúde, Unipessoal, Lda.*

☐ **Total Ash:** LEF (3rd Party laboratory) - *Infosaúde – Instituto de Formação e Inovação em Saúde, Unipessoal, Lda.*

☒ **Approved**
☐ **Not Approved**

DocuSign Envelope ID: 6738719A-58B8-43AE-A35B-61E5211FE93C

TILRAY	CERTIFICATE OF ANALYSIS	
Quality Standard Number: QS-210, R7	**Packaging Date: 05APR24** **DOM: 03APR24**	**Page 4 of 4**
Product Name: **Tilray Cannabisextrakt THC5:CBD20**	**Batch Size: 205 Units of 25 mL**	**Revision: 1**
Lot: 24002302	**☒ Expiry Date: 02/2025** **☐ Retest Date:**	
CoA Number: 0424-057		

Comments and conclusions:
Relative density: 0.9482 (Tested by TM-011; Ph.Eur.2.2.5) The product complies with DAB 10 Monograph.

REVISION HISTORY

Revision	Revision Date	Reason for Revision
1	24 APR 24	First version of this document.